

주의 | 제품을 작동하기 전 반드시 매뉴얼의 내용을 읽어보십시오.
실제 제품의 색상과 카탈로그 제품의 색상은 다소 다를 수 있습니다.
본 카탈로그에 포함된 내용은 사전 예고 없이 내용이 변경될 수 있습니다.

MDP SERIES



(주)엠투아이코퍼레이션

본사 주소: 경기도 안양시 동안구 시민대로327번길 11-35 (14055)
전화번호: 031-465-3366
팩스: 031-465-3355

기술지원안내 전화번호: 031-465-3366(2)

A/S안내 전화번호: 031-465-3366(3)

남부영업소 주소: 대구광역시 북구 유통단지로 50 (산격동) 크리스탈 B/D 402호, 406호 (41518)
전화번호: 053-604-6166

MDP SERIES

Product Catalog

MDP

정전용량 터치, FHD LCD를 적용한 2채널 KVM 터치모니터

인터페이스

- HDMI 2 PORTS
- USB UP STREAM 2 PORTS
- USB DOWN STREAM 2 PORTS



MDP 특징점



2채널 터치모니터

2채널 산업용 터치모니터
KVM 스위치로 편리하게 채널 변경



정전용량 터치

정전용량 터치 적용으로 선명한 화질 제공



전면 USB 포트

마우스, 키보드, USB 메모리, 바코드스캐너 등을
연결할 수 있는 포트 제공



충격 강화

IK8 등급 충격 강화



방폭 구조 적용

국내 최초 방폭 구조를 적용한 모니터



FHD LCD

16 : 9, 19인치, FHD LCD(1920 x 1080) 적용



알루미늄 프레임


강력한 내구성과 고급스러운 디자인을 갖춘
알루미늄 본체

MDP-DC1900WD SPECIFICATIONS

Functional	MDP-DC1900WD	
Display type	18.5" TFT Color	
Backlight Life	50000 hour	
Aspect Ratio	16 : 9	
Color	16M	
Display	Viewing Angle(H/V)	89/89/89/89
	Contrast Ratio	1000 : 1
	Response Time	20ms
	Brightness	350Cd/m2
	Recommend Resolution	1920 x 1080
	Touch	Touch Type
HDMI Input		2 Ports
Interface	USB Up Stream	2 Ports
	USB Down Stream	2 Ports
OSD Controls	Capacitive Touch Button	KVM/Up/Down/Menu, Select/Power
Power	Input Voltage	24Vdc(20~28Vcd)
	Power Consumption	40W or less
	Voltage Sag	24Vdc, Within 10ms
	Insulation Resistance	500Vdc, 10MΩ
	Operation Temperature(°C)	-10 ~ +50
Environment	Storage Temperature(°C)	-20 ~ +60
	Operation Humidity(%RH)	0 ~ 90(No dew)
	Noise Immunity	1000Vp-p(Pulse width 1μs)
	Static Electricity Discharge	Connective discharge from EN61000-4-2: ±4kV
	Shock Endurance	10G X, Y, Z each direction(for 3 times)
	Ground Connection	Class 3(100Ω or less)
	Protection Classification	IP65(Front)
	Certification	CE, KC, UL
	Panel Cut(mm)	463 x 314
	External Dimension(mm)	477.4 x 328.4 x 63.5
Structure	Weight(kg)	5.0
	Cooling System	Natural air circulation
	Case Material	Aluminum + Plastic
	VESA Wall Mount Holes(mm)	100 x 100

DRAWING

MDP-DC1900WD



- | | | |
|-------------------------|---------------|--------------|
| ① Power LED & Button | ⑤ LCD Panel | ⑩ USB A 1, 2 |
| ② OSD MENU Button | ⑥ Touch Panel | ⑪ USB B 1, 2 |
| ③ Up/Down Button | ⑧ USB Host | ⑫ HDMI 1, 2 |
| ④ Display change Button | ⑨ Power Input | |